



STANDARD ARRIVAL CHART-
INSTRUMENT (STAR) - ICAO

PRAHA/RUZYŇ
RNAV Rwy 24

APRAQ2S GOLOP4S LOMKI8S VLM4S



PRAHA RADAR	120.530
RUZYŇ RADAR	127.580
RUZYŇ RADAR	119.010
SUPPLEMENTARY FREQ APP	118.310
RUZYŇ DELIVERY	136.080
RUZYŇ TOWER	120.060
RUZYŇ TOWER	134.560
SUPPLEMENTARY FREQ TWR	118.110
RUZYŇ GROUND	121.910
RUZYŇ ATIS	122.160
EMERGENCY FREQ	121.500



BEARINGS, TRACKS AND RADIALS ARE MAGNETIC
ALTITUDES AND ELEVATIONS
ARE IN FEET
DISTANCES ARE IN NM

TRANSITION ALTITUDE
5000 FT

Speed restriction see AIP AD 2.22.4.2.1

RNAV-1
GNSS or DME/DME
REQUIRED

At initial contact with RUZYŇ RADAR, state
only call sign

WARNING
Unless otherwise instructed, after IAF ERASU
and IAF RATEV continue on track 060°, vectoring
will be provided

Description of all TRA GA areas see ENR 5.5

ŘEVNIČOV
DME 114.650
RVC
50°11'13.18"N
013°47'30.04"E
1696 ft

PRAHA
DVOR/DME 112.600
OKL
50°05'45.12"N
014°15'56.19"E
1230 ft

PISEK
DME 117.600
PSK
49°47'05.90"N
014°02'05.10"E
2300 ft

VLAŠIM
DVOR/DME 114.300
VLM
49°42'15.38"N
015°04'00.27"E
1500 ft

change: horizontal and vertical limits of LKP1; removal of LKD14