

## 1 LOCAL TRAFFIC REGULATIONS AND RESTRICTIONS

- 1.1 On the paved RWY operations of aircraft up to code marking 2B are permitted. Exceptions may be made on the basis of a security risk assessment.
- 1.2 Available length of paved RWY is marked with displaced THR markings.
- 1.3 Aerodrome traffic circuits
  - 1.3.1 The traffic circuit direction depends on the operational situation and is assigned by person providing information to known traffic for particular aeroplanes. Northern traffic circuits are used in preference.
  - 1.3.2 Traffic circuit altitude is 1805 ft / 550 m AMSL.
  - 1.3.3 Minimum altitude of final turn is 1149 ft / 350 m AMSL.
  - 1.3.4 For training flights along traffic circuit at height 500 ft / 150 m AGL southern traffic circuit can be used only.
- 1.4 Noise abatement procedures
  - 1.4.1 Do not fly over the villages of Březina, Hněvousice, Kruhy, Loukovec, Mnichovo Hradiště, Podolí and Sychrov.
- 1.5 Arrivals and departures of aircraft of fire category higher than CAT 2 only on request 24 HR in advance on ☎ +420 603 197 336 or on e-mail: ops@lkmh.cz.
- 1.6 Arrival and departure of aircraft without two-way radio contact only after prior clearance of unit Providing information to known traffic on ☎ +420 311 444 066.
- 1.7 The aerodrome is fenced.
- 1.8 Operation of jet airplanes is permitted under conditions approved by the aerodrome operator.
- 1.9 The condition of movement areas in the winter is published by SNOWTAM.
- 1.10 Aircraft operation is not allowed outside of the published operation hours without prior coordination with the airport operator and the provision of services.

## 2 ADDITIONAL INFORMATION

- 2.1 Providing information to known traffic in Czech and English language.
- 2.2 The aerodrome is not equipped with PAPI.
- 2.3 Handling services
  - 2.3.1 Order ground handling of aircraft at ☎ +420 732 485 792 or by email: ops@lkmh.cz.
- 2.4 Fire fighting and rescue service
  - 2.4.1 CAT 2 in operational hours.
  - 2.4.2 CAT 3 / CAT 4 / CAT 5 O/R.

- 2.5Planning of flights
- 2.5.1Plan flights above FL 95 according to FRA procedures, see [aim.rlp.cz/en/fra/](http://aim.rlp.cz/en/fra/).
- 2.6Taxiways (TWY)

TWY designation	Surface	Width [m]	Strength
A	concrete	15	PCR 280/R/B/W/T
B	concrete	10,5	PCR 280/R/B/W/T
F	concrete	11,5	PCR 80/F/C/Y/T
G	asphalt	11,5	PCR 80/F/C/Y/T
H	asphalt	6,5	PCR 80/F/C/Y/T

2.7Aprons

Designation	Surface	Dimensions [m]	Strength
APN W	concrete	190 x 50	PCR 280/R/B/W/T
APN T	asphalt	175 x 43	PCR 80/F/C/Y/T

2.8The value of magnetic variation as of 28.3.2024 is 5°11´. The annual change is 0°9´.

3CHARGES FOR AERODROMES

All mentioned rates are in CZK without value added tax. A detailed price list is available on the aerodrome's website [www.lkmh.cz](http://www.lkmh.cz)

3.1Landing charges

Ultralight aircraft, gliders	200,00
Aircraft up to 2 t MTOM	340,00
Aircraft over 2 t MTOM: (per each initiated tone)	340,00

3.2Parking charges

Per each tonne and hour	20,00
Long-term parking (more than 2 days) - per tonne/day	100,00
Aircraft guarding - per hour	800,00
Aircraft guarding - per day	15000,00

*The first two hours of parking free of charge.*

3.3Charges for passenger service

Passengers on departure	200,00
Custom clearance - per person	200,00
Immigration clearance - per person	200,00

3.4Other

*Extension of aerodrome operational hours - per each initiated hour: 800,00.*

*Fire category increase CAT 3 / CAT 4 - per every initiated hour: 3700,00.*

*Fire category increase CAT 5 - per every initiated hour: 5500,00.*

---

Chapter end

---

**Intentionally left blank**