

HEL-1 HELIPORTS

1.1 Private domestic heliports

LKCP	Chodová Planá	49 54 04,315 N 012 44 30,134 E 1783 ft / 542 m VFR day/night
<i>VESTAR GROUP</i>		
Operator	Vestar Group a.s. Rozvadov 7, 348 06 Přimda	
Next contacts	Ing. Petr Černý (responsible person of the operator) - ☎ +420 777 577 468, cercil@seznam.cz	
TLOF: circle - diameter 13,2 m, puzzle pavement platform, 6400 kg/0,4 MPa		FATO: circle - diameter 13,2 m, puzzle pavement platform
Day - Approach: 068° Take-offs: 248° Night - Approach: 068° Take-offs: 248° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	Heliport lighting system control: From helicopter through radio on FREQ 124,260 MHz by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100% 15 minutes after the last command being evaluated, the lights are switched off automatically.	
LKCO	Chotouň	50 03 32,93 N 014 57 27,87 E 830 ft / 253 m VFR day/night
<i>Helicentrum</i>		
Operator	Helicentrum s.r.o. Emlerova 216, 507 23 Libáň, info@helitom.cz	
Next contacts	Ing. Tomáš Škrabálek (responsible person of the operator) - ☎ +420 603 551 221 Ing. Václav Kunášek - ☎ +420 777 414 422	
TLOF: circle - diameter 13,2 m, concrete platform, 6400 kg/0,4 MPa, SA: paved asphalt area with diameter 26,4 m.		FATO: circle - diameter 13,2 m, concrete platform
Day - Approach: 260°, 348° Take-offs: 080°, 168° Night - Approach: 260° Take-offs: 080° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		

Remarks	<p>The heliport has ATZ: circle with radius 3NM centered on 50 03 32,93 N 014 57 27,87 E, vertically from GND to 1000ft AGL. CHOTO RADIO - FREQ 132,210 ATZ penetrated by LKD2 area; Chrášťany (LKCHRA) SLZ field situated in wester part of the ATZ.</p> <p>Heliport lighting system control: From helicopter through radio on FREQ 132,210 by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100% 15 minutes after the last command being evaluated, the lights are switched off automatically. On site SZZ turn-on by RADIO officer.</p> <p>Unless an individual written agreement has been concluded, other operators' helicopters may only use the heliport provided the written approval of the heliport operator (email or text message) has been given and only upon request, but not more than 12 hours before the scheduled flight time.</p> <p>For day flights from and to the heliport, carry out the south-east traffic circuits around Vrbčany village with 080° or 170° take-off directions and 260° or 350° approach directions.</p> <p>Night flight traffic circuit: when taking off from the heliport, climb on track 080°, turn right to avoid Vrbčany village and continue along I/12 road. Then turn left avoiding Plaňany village to intercept heliport glidepath in direction 260°.</p> <p>If the 260° approach is missed, climb and continue on track 260°, then turn left to intercept the left traffic circuit again. Carry out the circuit flight with respect to the published traffic circuit of SLZ field Chrášťany (LKCHRA).</p> <p>The minimum circuit altitude is 1300 ft AMSL, the recommended traffic circuit altitude is 1700 ft AMSL.</p> <p>Due to noise abatement measures, pilots are asked not to cross axis 08/26 extended to north (flights outside the village of Chotouň) and not to fly further over the surrounding populated areas (especially Chrášťany, Chotutice, Vrbčany, Plaňany villages).</p> <p>AVGAS 100LL and JET A-1 fuel available at the heliport.</p> <p>Hangar and accommodation available.</p>
----------------	---

LKKE	Karlov	49 09 49,58 N 013 25 37,08 E 2577 ft / 786 m VFR day
Operator	Ing. Miroslav Dvořák Na Lysině 1181/6, 147 00 Praha 4 - Podolí	
Next contacts	Ing. Tomáš Fait (responsible person of the operator) - ☎ +420 731 530 451, fait@renoenergie.cz	
TLOF: circle - diameter 11 m, concrete, 6400 kg		FATO: circle - diameter 26 m, grass
Approach: 248° Take-offs: 068° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	Other operators' helicopters are allowed to use the heliport subject to a prior approval by the owner (operator) and only upon request, no more than 24 hours prior to the estimated time of flight. Contact - call sign "Karlov Radio", FREQ 132,350. Heliport's operability shall be verified by telephone (+420 731 530 451) in advance or in flight on FREQ 132,350.	
LKLA	Liberec - ACL	50 44 01,87 N 015 02 15,30 E 1405 ft / 428 m VFR day
<i>ACL Technology</i>		
Operator	ACL Technology, s.r.o. Newtonova 596, 462 06 Liberec ☎ +420 739 244 391 ☎ +420 739 244 392 acl@acl-automotive.com	
TLOF: circle - diameter 11 m, concrete, 3500 kg		FATO: circle - diameter 19,5 m, grass/concrete
Approach: 205°, 291° Take-offs: 025°, 111° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	NIL	
LKNE	Nedanice	49 27 20,285 N 013 23 05,973 E 1585 ft / 483 m VFR day
Operator	RENTAL DEALING, s.r.o. Univerzitní 1118, 318 00 Plzeň ☎ +420 376 333 275	
Next contacts	Ing. Petr Černý (responsible person of the operator) - ☎ +420 777 577 468	
TLOF: circle-diameter 10 m, grass, 3500 kg/0,4 MPa		FATO: circle-diameter 26 m, grass
Approach: 212°, 332° Take-offs: 032°, 152°		
Remarks	NIL	
LKNK	Nová Amerika	50 22 52 N 015 51 50 E 1086 ft / 331 m VFR day
Operator	Nová Amerika spol. s r.o. Náměstí Míru 460, 378 81 Slavonice ☎ +420 384 493 525	
TLOF: 10 x 10 m, puzzle pavement platform, 3700 kg		FATO: 20 x 20 m, grass
Approach: 270° Take-offs: 090°		

Remarks	NIL	
LKPP	Přední Kopanina	50 07 10,49 N 014 18 10,77 E 1122 ft / 343 m VFR day
Operator	Pavel Dvořák K Julianě 86, 164 00 Praha 6 ☎ +420 602 223 708 pavel.d@volny.cz	
TLOF: circle - diameter 12 m, asphalt, 3500 kg		FATO: circle - diameter 12 m, asphalt
Day - Approach: 259° Take-offs: 079° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	Use of the heliport by another operator is subject to submission of application (mail, letter, SMS) to the heliport operator at least 24 hours in advance and its written consent.	
LKRZ	Rozvadov	49 40 07,903 N 012 33 35,616 E 1815 ft / 553 m VFR day/night
VESTAR GROUP		
Operator	Vestar Group a.s. Rozvadov 7, 348 06 Pímda	
Next contacts	Ing. Petr Černý (responsible person of the operator) - ☎ +420 777 577 468, cercil@seznam.cz	
TLOF: circle - diameter 10 m, puzzle pavement platform, 6400 kg/0,4 MPa		FATO: 26 m x 26 m, grass
Day - Approach: 307° Take-offs: 127° Night - Approach: 307° Take-offs: 127° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	Heliport is certified for HEMS. Heliport lighting system control: 1. Through Reception of King's Casino Rozvadov (☎ +420 374 616 050) 2. From helicopter through radio on FREQ 124,260 MHz by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100%	
LKSL	Solnice - ACL	50 11 43,43 N 016 14 52,69 E 1112 ft / 339 m VFR day
Solnice - ACL		
Operator	ACL Technology, s.r.o. Heyrovského 612, 463 12 Liberec ☎ +420 739 244 391 ☎ +420 739 244 392 acl@acl-automotive.com	
TLOF: circle - diameter 19,5 m, concrete, 3500 kg		FATO: circle - diameter 19,5 m, concrete, 3500 kg
Approach: 061°, 181° are performed in direction 259° in the first phase with following left turn with radius 270 m to the direction 181° in the second phase. Take-offs: 241°, 001° are performed in direction 001° in the first phase with following right turn with radius 270 m to the direction 079° in the second phase. Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	NIL	



LKUH	Uherské Hradiště - Mařatice	49 04 47,58 N 017 29 06,54 E 590 ft / 180 m VFR day/night
<i>SYNOT REAL ESTATE</i>		
Operator	SYNOT REAL ESTATE, k.s. Sokolovská 541/198, 180 00 Praha 8 - Libeň ☎ +420 572 410 408 ganpco@synot.cz	
TLOF: 11 x 11 m - puzzle pavement platform, 3500 kg/0,4 MPa	FATO: circle - diameter 26 m, grass	
Day - Approach: 024°, 204° Take-offs: 024°, 204° Night - Approach: 204° Take-offs: 024°, 204°		
Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions, given for day and night operation, are not interfered by any natural or artificial obstacles.		
Remarks	1. Remote radio control of lighting system - FREQ 124,250 MHz 2. Landing clearance shall be agreed with the heliport operator at least 6 hours in advance, except company ELITE JET s.r.o. and operators of helicopters of integrated rescue system. 3. Heliport lighting system control: a) Through Alarm receiving center (☎ +420 572 410 408) b) From helicopter through radio on FREQ 124,250 MHz by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100%	

1.2 Heliports for the Helicopters emergency medical services

1.2.1 It is possible to use the following heliports only for the needs of the Helicopters emergency medical services.

LKBL	Blansko	49 21 45 N 016 39 15 E 1038 ft / 316 m VFR day/night
<i>HEMS, hospital</i>		
Operator	Zdravotnická záchranná služba Jihomoravského kraje Kamenice 798/1d, Brno Bohunice 625 00 ☎ +420 516 527 822 ☎ +420 724 122 532	0500 - 2100 (0400 - 2000)
Next contacts	lighting control - ☎ +420 516 488 111, ☎ +420 723 546 215	
TLOF: 14 x 14 m, concrete, puzzle pavement platform, 6400 kg/0,4 MPa	FATO: circle-diameter 29 m, grass	
Day - Approach: 164°, 354° Take-offs: 344°, 174° Night - Approach: 164° Take-offs: 344°, 174°		
Remarks	Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKBS	Boskovice	49 29 22,57 N 016 38 46,61 E 1198 ft / 365 m VFR day
<i>HEMS, hospital</i>		
Operator	Nemocnice Boskovice (INB a.s.) Otakara Kubína 179, 680 01 Boskovice ☎ +420 516 491 111 ☎ +420 516 453 531	
TLOF: 10 m x 10 m, bitumen, 6100 kg	FATO: 26 m x 26 m, grass	
Approach: 090°, 037°, 318°, 292° Take-offs: 112°, 138°, 217°, 270°		
Remarks	NIL	

LKBV	Brno - Sv. Anna	49 11 26,67 N 016 36 02,99 E 764 ft / 233 m VFR day
<i>HEMS, u sv. Anny hospital</i>		
Operator	Fakultní nemocnice u sv. Anny v Brně Pekařská 664/53, 656 91 Brno	
Next contacts	Director - ☎ +420 543 181 199 Deputy of investment development, technology and operations - ☎ +420 543 182 010, sekr.uit@fnusa.cz	
TLOF: circle-diameter 19,5 m, concrete, max. 3500 kg		FATO: the same as TLOF
Approach: 118°, 352° Take-offs: 298°, 172° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	NIL	
LKBG	Brno - Bohunice MAIN	49 10 34,72 N 016 34 19,86 E 951 ft / 290 m VFR day/night
<i>HEMS, hospital - urgent</i>		
Operator	Fakultní nemocnice Brno, Pracoviště medicíny dospělého věku Jihlavská 20, 625 00 Brno	
Next contacts	switch-board - ☎ +420 532 231 111 deputy director for economic and technical management - ☎ +420 532 232 200 lighting system control centre - ☎ +420 532 232 121, ☎ +420 724 043 397	
TLOF: circle-diameter 28,3 m, concrete, 6400 kg / 0,4 MPa		FATO: the same as TLOF
Day - Approach: 285°, 090° Take-offs: 105°, 270° plane with gradient 1:4 Night - Approach: 285° Take-offs: 105°, 270° plane with gradient 1:8		
Remarks	Remote radio control of lighting system - FREQ 134,830. Glide angle of APAPI set to 9,3°	
LKBN	Brno - Bohunice RESERVE	49 10 32,52 N 016 34 09,66 E 967 ft / 295 m VFR day/night
<i>HEMS, hospital - I2</i>		
Operator	Fakultní nemocnice Brno, Pracoviště medicíny dospělého věku Jihlavská 20, 625 00 Brno	
Next contacts	switch-board - ☎ +420 532 231 111 lights control centre - ☎ +420 532 232 121, ☎ +420 724 043 397	
TLOF: circle-diameter 19,5 m, concrete, max. 3500 kg		FATO: the same as TLOF
Day - Approach: 179°, 039° Take-offs: 359°, 219° plane with gradient 1:4 Night - Approach: 179° Take-offs: 359°, 219° plane with gradient 1:8		
Remarks	NIL	

LKBP	Brno - Černé Pole	49 12 12,07 N
<i>HEMS, J. G. Mendel hospital - roof</i>		016 36 59,56 E
Operator	Fakultní dětská nemocnice J.G.Mendela Černopolní 9, 662 63 Brno - Černé Pole ☎ +420 532 231 111 ☎ +420 532 234 326	791 ft / 241 m VFR day
TLOF: circle-diameter 19,5 m, max. 4000 kg		FATO: the same as TLOF
Approach: 038°, 070°, 105°, 250° Take-offs: 218°, 250°, 285°, 070° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKBI	Břeclav - Nemocnice	48 45 08 N
<i>HEMS, hospital</i>		016 52 40 E
Operator	Nemocnice Břeclav U Nemocnice 1, 690 74 Břeclav ☎ +420 519 315 111 ☎ +420 519 372 112	518 ft / 158 m VFR day
TLOF: 15 x 15 m, puzzle pavement platform, 6400 kg/0,4 MPa		FATO: circle-diameter 29 m, grass
Approach: 131°, 337° Take-offs: 157°, 311° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKCC	České Budějovice - Nemocnice	48 57 43,33 N
<i>HEMS, Jihočeské papírny</i>		014 27 45,54 E
Operator	Nemocnice České Budějovice B. Němcové 54, 370 87 České Budějovice ☎ +420 387 871 111 ☎ +420 386 461 941	1280 ft / 390 m VFR day
Next contacts	Air rescue service - ☎ +420 387 314 111	
TLOF: circle-diameter 10 m, bitumen		FATO: circle-diameter 26 m, grass
Approach: not stated Take-offs: not stated		
Remarks	For arrivals and departures not to use quadrant with residential, educational and sanitary estate	
LKCA	České Budějovice - Základna HEMS	48 56 40,06 N
<i>HEMS, aerodrome</i>		014 26 42,49 E
Operator	Jihočeské letiště České Budějovice, a.s. U Zimního stadionu 1952/2, 370 01 České Budějovice 7 ☎ +420 387 204 550 airport@airport-cb.cz	1340 ft / 408 m VFR day/night
Next contacts	Ing. Robert Kala (responsible person of the operator) - ☎ +420 387 204 546, kala@airport-cb.cz Providing information to known traffic - ☎ +420 386 325 339, twr@airport-cb.cz Ing. Gustav Sysel - ☎ +420 702 121 528, sysel@airport-cb.cz	
TLOF: 10 m x 10 m, concrete, 3500 kg/0,4 MPa		FATO: circle - diameter 26 m, grass

Day - Approach: 087°, 267° Take-offs: 087°, 267°	
Night - Approach: 267° Take-offs: 087°, 267°	
Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.	
Remarks	NIL
LKDO	Domažlice
<i>HEMS, hospital</i>	
Operator	Domažlická nemocnice a.s. U Nemocnice 47, 344 22 Domažlice ☎ +420 379 722 024
Next contacts	telephone centre - ☎ +420 379 710 111 central light control - ☎ +420 379 710 165
TLOF: 14 m x 14 m, concrete puzzle pavement platform, 6400 kg/0,4 MPa	FATO: circle-diameter 29 m, grass
Day - Approach: 191°, 042° Take-offs: 011°, 222°	
Obstacle planes and surfaces are not penetrated by any obstacles.	
Night - Approach: 191° Take-offs: 011°, 222°	
Obstacle planes and surfaces are not penetrated by any obstacles.	
Remarks	Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM
LKFM	Frýdek - Místek
<i>HEMS, hospital</i>	
Operator	Nemocnice ve Frýdku-Místku, p.o. El. Krásnohorské 321, 738 01 Frýdek-Místek sekretariat@nemfm.cz
Next contacts	Switchboard - Regional Office MSk - ☎ +420 595 622 222 Hospital - ☎ +420 558 415 111
TLOF: circle-diameter 19,5 m, concrete, 3500 kg/0,4 MPa	FATO: identical to TLOF
Approach: 201°, 144°, 293° Take-offs: 021°, 324°, 113°	
Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.	
Remarks	NIL
LKHA	Havířov
<i>HEMS</i>	
Operator	Nemocnice s poliklinikou Havířov, p.o. Dělnická 1132/24, 736 01 Havířov - město anna.frankova@nshpav.cz ☎ +420 596 491 536
Next contacts	hospital telephone centre -anna.frankova@nshpav.cz, ☎ +420 596 491 111
TLOF: 14 m x 14 m, concrete pavement platform, 6400 kg/0,4 MPa	FATO: circle-diameter 29 m
Approach: 045°, 058°, 264° Take-offs: 064°, 225°, 238°	
obstacle planes and surfaces are not penetrated by any obstacles.	
Remarks	NIL

LKHL	Havlíčkův Brod - Nemocnice	49 36 37,32 N
<i>HEMS, hospital - roof</i>		015 34 13,75 E
Operator	Okresní nemocnice Havlíčkův Brod Husova 2624, 580 22 Havlíčkův Brod ☎ +420 569 472 111 📠 +420 569 421 982	1535 ft / 468 m VFR day
TLOF: 19,5 m x 19,5 m, concrete, 3400 kg		FATO: the same as TLOF
Approach: 012°, 084°, 192°, 264° Take-offs: 012°, 084°, 192°, 264° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKHH	Hradec Králové - Základna HEMS	50 11 35,93 N
<i>HEMS</i>		015 49 31,85 E
Operator	Zdravotnická záchraná služba Královéhradeckého kraje Hradecká 1690/2A, 500 12 Hradec Králové ☎ +420 495 755 721 📠 +420 495 267 111 info@zzskhk.cz www.zzskhk.cz	751 ft / 229 m VFR day/night
TLOF: circle-diameter 10 m, concrete, 6400 kg/0,4 MPa		FATO: square 26 m x 26 m, concrete, 6400 kg/0,4 MPa
Day - Approach: 102°, 028°, 311° Take-offs: 208°, 131°, 282° Night - Approach: 282° Take-offs: 208°, 282°		
Remarks	Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKHR	Hradec Králové - Nemocnice	50 11 53,71 N
<i>HEMS, hospital, KARIM clinic - roof</i>		015 49 42,77 E
Operator	Fakultní nemocnice Hradec Králové Sokolská 581, 500 05 Hradec Králové ☎ +420 495 832 639 📠 +420 495 832 008 zidu@fnhk.cz	807 ft / 246 m VFR day
TLOF: circle-diameter 19,5 m, concrete, 3500 kg		FATO: the same as TLOF
Approach: 164°, 284° Take-offs: 104°, 344° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKCU	Chomutov - Nemocnice	50 27 12 N
<i>HEMS, hospital</i>		013 24 40 E
Operator	Krajská zdravotní a.s., OZ Chomutov Edisonova 1185, 430 01 Chomutov ☎ +420 474 447 111 ☎ +420 474 447 225 📠 +420 474 447 196	1099 ft / 335 m VFR day
TLOF: 10 m x 10 m, bitumen, 3550 kg		FATO: 25 m x 25 m, bitumen
Approach: 312° Take-offs: 312°		
Remarks	NIL	
LKCD	Chrudim - Nemocnice	49 56 29 N
<i>HEMS, hospital</i>		015 48 30 E
Operator	Nemocnice Pardubického kraje a.s. Václavská 570, 537 27 Chrudim ☎ +420 469 653 111 📠 +420 469 653 130	925 ft / 282 m VFR day
TLOF: 10 m x 10 m, 3550 kg		FATO: 26 m x 26 m

Approach: 060°, 255° Take-offs: 075°, 240° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKJE	Jeseník	50 13 17,78 N 017 11 11,87 E 1511 ft / 460 m VFR day/night
<i>HEMS</i>		
Operator	Zdravotnická záchranná služba Olomouckého kraje Aksamitova 8, 772 00 Olomouc ☎ +420 585 203 444	
Next contacts	Ing. Dalibor Leenar - responsible person of operator - ☎ +420 602 742 819 dispatching (lighting system control) - ☎ +420 585 544 440	
TLOF: 16 m x 16 m, concrete puzzle pavement, 5400 kg/0,4 MPa		FATO: circle 26 m, grass
Day - Approach: 085°, 194°, 312° Take-offs: 265°, 014°, 132° Night - Approach: 085° Take-offs: 265°, 014°		
Remarks	Left APAPI bar installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKJL	Jihlava - Základna HEMS	49 23 55 N 015 34 05 E 1752 ft / 534 m VFR day/night
<i>HEMS</i>		
Operator	Zdravotnická záchranná služba kraje Vysočina, příspěvková org. Vrchlického 61, 586 01 Jihlava ☎ +420 567 567 245 ☎ +420 567 302 414	
TLOF: 15 m x 15 m, asphalt-concrete, 6400 kg/0,4 MPa		
		FATO: circle-diameter 26 m, grass
Day - Approach: 152°, 261°, 350°, 067° Take-offs: 332°, 081°, 170°, 247° Night - Approach: 152° Take-offs: 170°, 332°		
Remarks	FREQ 123,480. Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKJR	Jindřichův Hradec - Nemocnice	49 08 21,38 N 015 00 20,61 E 1620 ft / 494 m VFR day
<i>HEMS, hospital - roof</i>		
Operator	Okresní nemocnice Jindřichův Hradec U Nemocnice 380/III, 377 38 Jindřichův Hradec ☎ +420 384 376 111 ☎ 384 376 134 ☎ 384 322 070 ☎ +420 384 321 534	
TLOF: circle-diameter 20 m, concrete, 3000 kg		
		FATO: the same as TLOF
Approach: 20°, 200°, 290° Take-offs: 20°, 200°, 110° plane with gradient 1:4 without obstacles		
Remarks	NIL	

LKKN	Karlovy Vary - Nemocnice	50 13 57,95 N
<i>HEMS, hospital</i>		012 52 35,30 E
Operator	Karlovarská krajská nemocnice a.s. Bezručova 1190/19, 360 01 Karlovy Vary ☎ +420 354 225 111	1409 ft / 429 m VFR day
Next contacts	Ing. Lukáš Holý (responsible person of operator) - ☎ +420 354 225 172, ☎ +420 723 824 951, lukas.holy@kkn.cz call operator - ☎ +420 354 225 111	
TLOF: circle-diameter 19,5 m, concrete, 6400 kg/0,4 MPa		FATO: the same as TLOF
Approach: 243°, 343°, 059°, 142° Take-offs: 063°, 163°, 239°, 322°		
Remarks	NIL	
LKKI	Krnov - Nemocnice	50 05 49,28 N
<i>HEMS, hospital</i>		017 41 06,69 E
Operator	Sdružené zdrav. zařízení Krnov Pavlova 9, 794 11 Krnov ☎ +420 554 611 445 ☎ +420 554 610 164	1046 ft / 319 m VFR day
TLOF: 12 m x 12 m, 3550 kg		FATO: 26 m x 26 m
Approach: 247°, 187° Take-offs: 047°, 227°, 187°, 067° plane with gradient 1:4		
Remarks	NIL	
LKKZ	Kroměříž - Nemocnice	49 17 28,31 N
<i>HEMS, hospital</i>		017 22 46,85 E
Operator	Nemocnice Kroměříž Havlíčková 660, 767 55 Kroměříž ☎ +420 573 322 111 ☎ +420 573 343 993	666 ft / 203 m VFR day
TLOF: 16 m x 15 m, lit mastic asphalt on panels, 3550 kg		FATO: 26 m x 26m, grass
Approach: 231°, 051°, 321° Take-offs: 051°, 231°, 141° plane with gradient 1:4		
Remarks	NIL	
LKKJ	Kyjov - Nemocnice	49 00 30 N
<i>HEMS, hospital - roof</i>		017 06 39 E
Operator	Okresní nemocnice Kyjov Strážovská 976, 697 33 Kyjov ☎ +420 518 601 111 ☎ +420 518 614 176	730 ft / 222 m VFR day
TLOF: circle-diameter 20 m, concrete, 3500 kg		FATO: the same as TLOF
Approach: 079°, 119°, 239° Take-offs: 059°, 119°, 239° plane with gradient 1:4 without obstacles		
Remarks	NIL	

LKLC	Liberec - Nemocnice	50 46 11,95 N 015 03 50,16 E 1358 ft / 414 m VFR day/night
<i>HEMS, hospital</i>		
Operator	Krajská nemocnice Liberec, a.s. Husova 10, 460 63 Liberec ☎ +420 485 312 202 ☎ +420 485 101 119	
Next contacts	Ing. Filip Galnor (responsible person of the operator) - ☎ +420 724 655 421, filip.galnor@nemlib.cz	
TLOF: circle - diameter 20 m, concrete, strength: 6400 kg / 0,4 MPa		FATO: identical to TLOF
Approach: primary 155°, secondary 330° Take-offs: 150°, 335° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	Heliport lighting system control: 1. Through Dispatching of Rescue Service of Liberec Region (☎ +420 482 363 195 nebo ☎ +420 482 363 196 or by radio on channel 124,205, call sign DISPATCHING LIBEREC RADIO) 2. From helicopter through radio on channel 124,205 (only for primary approach direction 155°) by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100%	
LKLH	Liberec - Základna HEMS	50 46 08,14 N 015 01 27,21 E 1307 ft / 398 m VFR day/night
<i>HEMS, aerodrome</i>		
Operator	Zdravotnická záchranná služba Libereckého kraje, p. o. Klášteří 654/5, 460 01 Liberec 1 ☎ +420 724 103 362 vaclav.cervenka@zsslk.cz	
Next contacts	Ing. Robert Rajtmajer (responsible person of the operator) - ☎ +420 602 888 361, rajtmajer@dsa.cz, robert.rajtmajer@seznam.cz	
TLOF: square 14 m x 14 m, concrete, 5000 kg		FATO: square 26 m x 26 m, grass
Day - Approach: 331° (primary), 151° Take-offs: not stated Night - Approach: 331° Take-offs: not stated Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in the main operating direction 331° are not interfered by any natural or artificial obstacles. Grown trees interfere with the secondary direction 151° - VFR day only. Approach directions are almost parallel to LKLB AD runway direction. The lateral distance of the heliport center from the runway is 160 m.		
Remarks	The heliport is located in the area of LKLB AD within the ATZ (Liberec Radio - 122,605). A position beacon (white flashes while Heliport lighting system is turned on) is located on the HEMS base hangar. Heliport lighting system control: From helicopter through radio on channel 124,205 by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100% The Heliport lighting system turns off automatically in 15 minutes since the last remote power on.	



LKLO	Litoměřice	50 32 30,27 N 014 08 45,95 E 617 ft / 188 m VFR day
<i>HEMS, hospital</i>		
Operator	Nemocnice Litoměřice, a.s. Žitenická 18, 412 01 Litoměřice ☎ +420 416 723 111 ☎ +420 416 735 100	
TLOF: circle - diameter 12 m, bitumen, 3500 kg		FATO: circle - diameter 26 m, grass
Approach: 067°, 137°, 277°, 247°, 317°, 097°, 187° Take-offs: 067°, 137°, 277°, 007°, 247°, 317°, 097° plane with gradient 1:4		
Remarks	NIL	
LKME	Mělník	50 21 07 N 014 29 13 E 557 ft / 170 m VFR day/night
<i>HEMS, firefighters</i>		
Operator	Zdravotnická záchranná služba Mělník Bezručova 3409, 276 01 Mělník ☎ +420 315 625 542	
Next contacts	call operator - ☎ +420 315 625 540 ambulance operator - ☎ +420 315 623 191, ☎ 315 623 197	
TLOF: 15 x 15 m, puzzle pavement platform, 6400 kg, 0,4 MPa		FATO: 26 x 26 m, grass
Day - Approach: 152°, 281° Take-offs: from 101° to 332° plane with gradient 1:4 free of obstacles Night - Approach: 152° Take-offs: from 101° to 332° plane with gradient 1:8 free of obstacles		
Remarks	Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKML	Mladá Boleslav - Nemocnice	50 25 08,48 N 014 54 25,64 E 761 ft / 232 m VFR day
<i>HEMS, hospital</i>		
Operator	Oblastní nemocnice Mladá Boleslav, a.s. Václava Klementa 147, 293 01 Mladá Boleslav ☎ +420 326 631 111 ☎ +420 326 322 803	
TLOF: circle - diameter 10 m, bitumen, 12000 kg		FATO: circle - diameter 26 m, grass
Approach: 130°, 010°, 170°, 150° Take-offs: 310°, 190°, 350°, 330° Obstacle planes and surfaces are not penetrated by any obstacles.		
Remarks	NIL	
LKNC	Náchod	50 24 37 N 016 10 00 E 1217 ft / 371 m VFR day
<i>HEMS, hospital</i>		
Operator	Oblastní nemocnice Náchod a.s. Purkyňova 446, 547 01 Náchod ☎ +420 491 601 111 ☎ +420 491 601 933	
TLOF: circle-diameter 20 m, concrete, 3500 kg		FATO: the same as TLOF
Approach: 072°, 132°, 332° Take-offs: 152°, 252°, 312° plane with gradient 1:4 without obstacles		
Remarks	NIL	

LKNR	Neratovice	50 15 09,46 N 014 31 16,39 E 558 ft / 170 m VFR day
<i>HEMS</i>		
Operator	Městský úřad Neratovice Kojetická 1028, 277 11 Neratovice ☎ +420 315 682 741 ☎ +420 315 682 052	
TLOF: 10 x 10 m, bitumen, 3500 kg		FATO: 26 x 26 m, grass
Approach: from 012° to 251° Take-offs: from 071° to 192° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKNO	Nové Město na Moravě	49 33 41 N 016 03 47 E 2047 ft / 624 m VFR day
<i>HEMS, hospital</i>		
Operator	Okresní nemocnice v Novém Městě na Moravě Žďárská 610, 592 31 Nové Město na Moravě ☎ +420 566 801 111 ☎ 566 618 111 ☎ +420 566 801 609	
TLOF: circle-diameter 19,5 m, concrete, 3500 kg/0,4 MPa		FATO: the same as TLOF
Approach: 042°, 134°, 281° Take-offs: 101°, 222°, 314° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKOC	Olomouc - Nemocnice	49 35 02,74 N 017 14 11,55 E 873 ft / 266 m VFR day
<i>HEMS, hospital - roof</i>		
Operator	Fakultní nemocnice Olomouc I.P. Pavlova 6, 779 00 Olomouc ☎ +420 585 852 872 ☎ +420 603 322 177 martin.riha@fnol.cz	
TLOF: circle-diameter 19,5 m, concrete, 3500 kg		FATO: the same as TLOF
Approach: 098°, 293° Take-offs: 113°, 278° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKOT	Olomouc - Základna HEMS	49 35 00,84 N 017 13 12,95 E 853 ft / 260 m VFR day/night
<i>HEMS</i>		
Operator	Zdravotnická záchraná služba Olomouckého kraje Aksamitova 557/8, 779 00 Olomouc ☎ +420 585 544 200 ☎ +420 585 223 693	
Next contacts	Ing. Dalibor Lešnar - ☎ +420 602 742 819, lesnarovi@volny.cz Air Rescue Service Control - ☎ +420 585 544 440	
TLOF: 12,5 x 12,5 m, concrete puzzle pavement platform, 6400 kg/0,4 MPa		FATO: circle - diameter 29 m, grass
FATO1: Take-off day/night: 315°; Approach day 135° FATO2: Take-off day: 128°, 256°; Take-off night: 256°; Approach day 076°, 308°; Approach night: 076°		
Remarks	Left bar of APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	

LKOP	Ostrava - Nemocnice	49 49 46,91 N 018 09 37,12 E 866 ft / 264 m VFR day
<i>HEMS, hospital</i>		
Operator	Fakultní nemocnice s poliklinikou 17. listopadu 1790, 708 52 Ostrava-Poruba ☎ +420 596 981 111 📠 +420 596 917 340	
Next contacts	Control - ☎ +420 596 143 812	
TLOF: 10 x 10 m, concrete, 5700 kg		FATO: 26 x 26 m, concrete
Approach: not stated Take-offs: not stated		
Remarks	NIL	
LKOZ	Ostrava - Základna HEMS	49 48 11,70 N 018 13 49,63 E 758 ft / 231 m VFR day/night
<i>HEMS, firefighters</i>		
Operator	Zdravotnická záchranná služba Moravskoslezského kraje, p.o. Výškovická 2995/40, Zábřeh 700 30 Ostrava zzsmsk@zssmsk.cz	
Next contacts	secretary - ☎ +420 950 730 401 fax - 📠 +420 596 789 397 hangar HEMS - ☎ +420 950 730 467 hangar LS PČR - ☎ +420 974 720 751 operations center - ☎ +420 596 111 110 director ZS MSK - ☎ +420 602 531 301	
TLOF: 15 x 15 m, concrete, 6400 kg		FATO: 26 m x 26 m, grass
Day - Approach: 101°, 207°, 310° Take-offs: 027°, 130°, 281° take-off and approach area obstacle plane in direction 027°/207° may be limited by standing helicopter of Czech Police Air Services (LS PČR) during day Night - Approach: 101° Take-offs: 027°, 281°		
Remarks	1. Heliport beacon and WDI on S side of firefighters building. APAPI from direction 101°, glide angle 9,37°, gradient of descent 1000 ft/1 NM 2. Heliport lighting system control: a) locally in HEMS hangar (☎ +420 950 730 467) b) remotely by ZZS officer (☎ +420 596 111 110) c) remotely from helicopter through radio on FREQ 124,665 MHz by keying 3x within 5 sec. - intensity 10% 5x within 5 sec. - intensity 30% 7x within 5 sec. - intensity 100% Simultaneously with heliport lighting WDI lighting and position flashing beacon is lit up.	
LKPE	Pelhřimov	49 26 07 N 015 13 52 E 1709 ft / 521 m VFR day
<i>HEMS, hospital</i>		
Operator	Nemocnice Pelhřimov, p.o. Slovanského bratrství 710, 393 38 Pelhřimov	
Next contacts	deputy NTS - ☎ +420 731 619 138 central control room - ☎ +420 565 355 771	
TLOF: 10 x 10 m, concrete, puzzle pavement platform 5400 kg/0,4 MPa		FATO: circle - diameter 26m, grass

Approach: 146°, 333° Take-offs: 326°, 153° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKPZ	Plzeň - MAIN	49 45 42,68 N 013 22 44,61 E 1105 ft / 337 m VFR day/night
<i>HEMS, hospital - main heliport</i>		
Operator	Fakultní nemocnice Plzeň Edvarda Beneše 1128, 305 99 Plzeň ☎ +420 377 103 648	
Next contacts	switch-board - ☎ +420 377 103 111 operational-technical deputy - ☎ +420 377 402 500 dispatching (lighting system control) - ☎ +420 377 103 159, ☎ +420 725 986 041	
TLOF: circle - diameter 28,3 m, concrete, 6400 kg/ 0,4 MPa	FATO: identical to TLOF	
Day - Approach: 298°, 075° Take-offs: 118°, 255° Night - Approach: 298° Take-offs: 118°		
Remarks	1. APAPI installed to glide angle 9,3°. 2. Heliport lighting system control: Through control center of fire alarm system (☎ +420 377 103 159)	
LKPV	Plzeň - RESERVE	49 45 49 N 013 22 37 E 1135 ft / 346 m VFR day/night
<i>HEMS, hospital - reserve heliport</i>		
Operator	Fakultní nemocnice Plzeň Tř. Dr. E. Beneše 13, 305 99 Plzeň ☎ +420 377 103 648	
Next contacts	switch-board - ☎ +420 377 103 111 dispatching (lighting system control) - ☎ +420 377 103 159	
TLOF: 14 x 14 m, concrete, puzzle pavement 6400 kg/ 0,4 MPa	FATO: circle - diameter 29 m, grass	
Day - Approach: 021°, 149°, 242° Take-offs: 062°, 201°, 329° Night - Approach: 021° Take-offs: 201°, 329°		
Remarks	Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKPK	Praha 4 - Krč	50 01 54,96 N 014 27 25,39 E 755 ft / 230 m VFR day
<i>HEMS, Thomayer hospital</i>		
Operator	Fakultní Thomayerova nemocnice s poliklinikou Václavská 800, 140 59 Praha 4 - Krč	
Next contacts	call operator - ☎ +420 261 081 111 operational department - ☎ +420 261 082 228	
TLOF: circle - diameter 10 m, puzzle pavement platform, 5400 kg/0,4 MPa	FATO: circle - diameter 26 m, grass	
Approach: 088°, 108°, 288° Take-offs: 108°, 268°, 288° plane with gradient 1:4		
Remarks	NIL	

LKPH	Praha 5 - Motol	50 04 25,3 N 014 20 32,4 E 1142 ft / 348 m
<i>HEMS, Motol hospital - roof</i>		
Operator	Fakultní nemocnice v Motole V Úvalu 84, 150 06 Praha 5 ☎ +420 224 431 000	
Next contacts	Emergency center - ☎ +420 224 436 708 Ing. Milan Seidl - responsible person of operator - ☎ +420 602 149 512	
TLOF: circle - diameter 19,5 m, concrete, 3500 kg/0,4 MPa		FATO: the same as TLOF
Approach: 222° Take-offs: 042° obstacle planes and surfaces are not penetrated by any obstacles in operational directions		
Remarks	NIL	
LKPT	Praha 6 - Střešovice	50 05 19,90 N 014 21 47,16 E 1204 ft / 367 m VFR day/night
<i>HEMS, hospital (ÚVN) - roof</i>		
Operator	Ústřední vojenská nemocnice U vojenské nemocnice 1206, 160 00 Praha 6 ☎ +420 220 203 001	
TLOF: 25,5 x 25,5 m, concrete, 12000 kg/0,4 MPa		FATO: the same as TLOF
Day - Approach: 068°, 267° Take-offs: 087°, 248° obstacle planes and surfaces are not penetrated by any obstacles in operational directions Night - Approach: 267° Take-offs: 248° obstacle planes and surfaces are not penetrated by any obstacles in operational directions		
Remarks	Heliport beacon and TLOF edge lights installed. For bearing 267° 5 omnidirectional white lights and APAPI with glide angle 9,3° installed.	
LKPB	Praha 8 - Bulovka	50 06 58 N 014 27 45 E 845 ft / 258 m VFR day/night
<i>HEMS, Na Bulovce hospital</i>		
Operator	Fakultní nemocnice Na Bulovce Budínova 2, 180 81 Praha 8 ☎ +420 491 427 904	
Next contacts	switch-board - ☎ +420 266 081 111 dispatching (lighting system control) - ☎ +420 266 082 947	0400 - 2000 (0500 - 2100)
TLOF: 14 x 14 m, concrete puzzle pavement, 6400 kg/0,4 MPa		FATO: circle-diameter 29 m, grass
Day - Approach: 109°, 187°, 340° Take-offs: 007°, 160°, 289° plane with gradient 1:4 without obstacles Night - Approach: 340° Take-offs: 160°, 289° plane with gradient 1:4 without obstacles		
Remarks	Left bar APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	

LK8066	Praha 10 - Vinohrady	50 04 28,64 N 014 28 55,28 E 780 ft / 238 m VFR day/night
<i>HEMS, Královské Vinohrady hospital</i>		
Operator	Fakultní nemocnice Královské Vinohrady Šrobárova 1150/50, 100 34 Praha 10	
Next contacts	switch-board - ☎ +420 267 161 111 dispatching (lighting system control) - ☎ +420 267 162 237 Miloš Winzig (responsible person) - ☎ +420 603 156 396, milos.winzig@fnkv.cz	
TLOF: octagon - diameter 10 m, asphalt, 6400 kg		FATO: square 28,3 m x 28,3 m, asphalt, concrete; SA: square 46,3 m x 46,3 m
Day - Approach: 251°, 321° Take-offs: 071°, 141° Night - Approach: 321° Take-offs: 141° Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions with gradient 1:8 are not interfered by any natural or artificial obstacles.		
Remarks	Shortened approach light system 20 m long, 4 above-ground lights in the interval of 4 m, white color in the direction of 321°. The heliport is not equipped with an APAPI.	
LKRV	Rakovník - Nemocnice	50 06 27,87 N 013 43 07,09 E 1112 ft / 339 m VFR day
<i>HEMS, hospital</i>		
Operator	Masarykova nemocnice Dukelskch hrdinů 200, 269 29 Rakovník ☎ +420 313 525 111 technici@nemrako.cz	
TLOF: circle - diameter 10 m, concrete, 3500 kg (exceptionally 5400 kg)		FATO: circle - diameter 26 m, grass
Approach: 044°, 019°, 355° Take-offs: 224°, 199°, 175° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKSV	Svitavy	49 45 50 N 016 27 45 E 1449 ft / 442 m VFR day
<i>HEMS, firefighters</i>		
Operator	Hasičský záchranný sbor Pardubického kraje Teplého 1526, 530 02 Pardubice ☎ +420 950 570 111	
TLOF: 15 x 15 m, bitumen, 6400 kg/0,4 MPa		FATO: circle - diameter 29 m, grass
Approach: 118°, 239° Take-offs: 059°, 298°		
Remarks	NIL	
LKSP	Šumperk - Nemocnice	49 57 28 N 016 57 47 E 1023 ft / 312 m VFR day/night
<i>HEMS</i>		
Operator	Zdravotnická záchranná služba Olomouckého kraje Aksamitova 8, 772 00 Olomouc ☎ +420 585 203 444	
Next contacts	Ing. Dalibor Leenar - ☎ +420 602 742 819 dispatching (lighting system control) - ☎ +420 585 544 440	
TLOF: 14 x 14 m, concrete puzzle pavement, 5600 kg/0,4 MPa		FATO: circle - diameter 26 m, grass



Day - Approach: 006°, 086°, 186°, 266° Take-offs: 006°, 086°, 186°, 266°		
Night - Approach: 006° Take-offs: 006°, 186°		
Remarks	NIL	
LKTR	Tábor - Nemocnice	49 24 57,08 N
<i>HEMS, hospital</i>		014 39 07,92 E
		1450 ft / 442 m
Operator	Nemocnice Tábor, a.s. kpt. Jaroše 2000, 390 03 Tábor ☎ +420 381 608 117 ☎ +420 381 608 360	
TLOF: 15 x 15 m, bitumen, 3500 kg		FATO: 26 x 26 m, grass
Approach: 122°, 282° Take-offs: 102°, 302° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKTH	Těchonín	50 03 37 N
<i>MIL HEMS</i>		016 36 44 E
		1680 ft / 512 m
Operator	The Army of the Czech Republic VZ 6848, Hradec Králové	
Next contacts	Operator - ☎ +420 973 273 555 FREQ 123,555 (CH 8,33 kHz) O/R Meteo - ☎ +420 973 273 613 FREQ 123,700 (Vaisala)	
TLOF: 15 x 15 m, concrete, 6400 kg		FATO: Circle - diameter 25,6 m, concrete
Day - Approach: 236° (main), 010° Take-offs: 190° (main), 056°		
Night - Approach: 236° (main) Take-offs: 190° (main), 056°		
Obstacle surfaces and areas of the heliport defined by Chapter 4, regulation L 14H in operating directions are not interfered by any natural or artificial obstacles.		
Remarks	Prior to flying to the heliport, it is necessary to contact the operator by telephone 6 hours before the intended landing to verify the heliport operability and its equipment. The operator frequency is only active when the Těchonín Biological Protection Department is activated as part of emergency procedures. Lighted WDI located on the heliport building. Approach lighting system (6 omnidirectional lights of yellow color) and TLOF lighting system according to STANAG 3619, Ed. 5 (omnidirectional landing pad perimeter lights - 12 lights of yellow color with 7 lights of green color). APAPI installed for main direction 236° (9,3° glide angle, descent gradient 1000 ft / 1 NM).	
LKTU	Trutnov	50 35 10 N
<i>HEMS, Horní Staré Město</i>		015 52 43 E
		1526 ft / 465 m
Operator	Technické služby Trutnov Náchodská 371, 541 03 Trutnov ☎ +420 499 841 212 ☎ 603 863 019	
TLOF: 10 x 10 m, asphalt-concrete, 7500 kg/0,4 MPa		FATO: 28 x 28 m, grass
Approach: 180°, 090°, 045°, 153° Take-offs: 360°, 270°, 225°, 333°		
Remarks	NIL	

LKUS	Ústí nad Labem - Nemocnice	50 40 48 N 014 01 15 E 932 ft / 284 m VFR day
<i>HEMS, Masaryk hospital - roof</i>		
Operator	Masarykova nemocnice v Ústí nad Labem Sociální péče 3316/12A, 401 13 Ústí nad Labem ☎ +420 472 774 111 📠 +420 472 774 286 sekretariat@mnul.cz	
TLOF: circle - diameter 20 m, concrete, 3500 kg		FATO: the same as TLOF
Approach: 154°, 280° Take-offs: 334°, 100° plane with gradient 1:4 without obstacles		
Remarks	NIL	
LKUB	Ústí nad Labem - Základna HEMS	50 40 39 N 014 01 26 E 919 ft / 280 m VFR day/night
<i>HEMS</i>		
Operator	Zdravotnická záchranná služba Ústeckého kraje p.o. Sociální péče 799/7A, 400 11 Ústí nad Labem ☎ +420 475 234 517 📠 +420 725 201 101	
Next contacts	contact person: Roman Jizera -jizera.roman@zssuk.cz	
TLOF: 15 x 15 m, bitumen, 5400 kg		FATO: circle-diameter 26 m, grass
Day - Approach: 134°, 169°, 215°, 310°, 348° Take-offs: 314°, 349°, 035°, 130°, 168° plane with gradient 1:4 without obstacles		
Night - Approach: 310° Take-offs: 349°, 130° plane with gradient 1:8 without obstacles		
Remarks	Heliport beacon is not certified. Left bar of APAPI installed, glide angle 9,3°, gradient of descent 1000 ft/1 NM.	
LKZI	Zlín - Nemocnice	49 13 34,19 N 017 42 18,51 E 738 ft / 224 m VFR day
<i>HEMS, Baťa hospital</i>		
Operator	Baťova nemocnice Zlín Havlíčkovo nábř. 600, 762 75 Zlín ☎ +420 577 551 111 📠 +420 577 437 456 📠 577 216 888	
TLOF: 10 x 10 m, concrete, 3500 kg		FATO: 26 x 26 m, grass
Approach: 014°, 297° and from 093° to 135° Take-offs: 194°, 117° and from 273° to 315° plane with gradient 1:4 without obstacles		
Remarks	NIL	

Chapter end

